Related UHF R2000 Fixed Reader

TCP/IP 8 ports Impinj R2000 Chip UHF Fixd RFID Readers



Product technical parameter

Model number	ACM-919L
Engine	Design based on Impinj R2000 chip
Frequency	865 ~868MHz (EU standard),902-928MHz (US standard)
Protocol	ISO18000-6B/6C(EPC GEN2)
Work mode	Answer Mode,Real-time Inventory,Trigger Mode
Reading range	1~15m (depends on antenna gain)
Tag buffer size	700pcs (Max. 496bits EPC length)
Inventory	Support EPC and TID inventory
Antenna ports	8 TNC antenna ports
Interface	RS232/RS485/TCP/IP/USB/POE/WiFi (optional)
Support	RSSI
RF power	33dbm (adjustable)
Power supply	9V
Current Dissipation	0.5~1.2A
Reader Size	270*180*27mm
Net weight	1.3kg
Package size	310*230*140mm
Package gross weight	2.5kg
Operating Temp	-10~+60 C
Storage Temp	-20~+75 °C

Product show







Product show

Spare parts:Spare parts:1pc reader,1pc RS232 cable, 1pc USB cable, 1pc power adapter, 1pc plug

Reader dimension: Reader Size:270x180x27mm



Shenzhen Goldbridge concentra-se na inovação em pesquisa e desenvolvimento, produção e vendas de produtos IOT RFID e solução de aplicação, categoria de leitor de rfid, incluindo leitor de UHF de mesa, leitor integrado de UHF, leitor integrado de UHF, leitor fixo de UHF R2000, módulo OEM de UHF, módulo OEM de UHF, leitor portátil de RFID, etiquetas de rfid de uhf, 2.4G ativo Leitor RFID, EM 125KHZ Leitor de longo alcance, hardware RFID industrial e software integrado, obteve a certificação nacional de empresa de alta tecnologia FCC, CE e ROHS.

Raleted Long distance range RFID Reader & Tags ACM-803A -9dbi ACM-812A -8dBi ACM-811A-8dBi Muti-tag Reader, 2-6 meter, 235x235x57mm 6-9 meters, 255x255x45MM 6-10 meters, 260X260X45mm ACM-819A-12dBi Muti-tag Reader, ACM217-UHF UHF Reader and Writer - Provide Free program and SDK ACM919L 4 Ports UHF Reader Impinj R2000 ,270mm*180mm*27mm 10-20 meters, 460x460x55MM ACM08Y ACM8017 UHF Handheld Reader ACM09G-TCP/IP Or Wiegand UHF +WIFI+GRPS Quad Active 2.4G Reader 30-70meter, RFID EM 125Khz 70cm-1meter Band+Barcode 1D/2D Provide FREE SDK and Demo Middle long range Reader ACM-MU13M One Port Module Korea certificate 0-15m Size: 8x25x3.5mm ACM-MU82M 4 Antennas Ports Module ACM-MU85M One Antenna Port Module-30dbm adjustable 0-15m 4ports 25m speed anti-collision impinj R2000 used for handheld reader. ,55.5x39.5x7.6mm 67.5mmx51mmx7.9mm UHF Anti-metal Tag, Anti-tamper windshield sticker UHF ISO PVC Card Tag, 86x54mm ACM-UHF-M3: 135x22x12mm tag (ACM-S001) (ACM-UHF Card) ±2mm

Email: sales@goldbridgesz.com Web: http://www.goldbridgesz.com

About Us

Similar Products



GOLDBRIDGE

SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

ACM Shenzhen Goldbridge industrial company



As a one of leading exporter and manufactuer of RFID products in China, . We have been in this field for 17 years already. We have rich production and exportation experience on RFID products. Our strength products are: RFID card, RFID keyfob, RFID wristband, RFID tag and various RFID reader. We are also the access control solution provider.

FACTORY PHOTOS















