

## Descrição dos produtos

---

Descrição dos produtos

**UM** Botão de saída da porta para sistema de controle de acesso, saída de toque à prova d'água, mas Recurso:

- Sem sensor de saída sem toque / toque (detecção difusa)
- Tecnologia óptica / infravermelha
- Proteção de entrada IP-55 / SUS 304 Placa de aço inoxidável
- Amigável para uso (proteção saudável)
- Livre de doenças contagiosas espalhadas
- Faixa de detecção: 0,1 ~ 10 cm
- Normalmente aberta/normalmente próxima/comum de saída de relé
- Indicadores de LED gêmeos para espera do sensor ou abordados:  
(1) Standby do sensor: LED azul em

## Detalha imagens

---

Detalha imagens



Whatsapp: +86-13554918707

E-mail: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)

Website: [www.goldbridgesz.com](http://www.goldbridgesz.com)

# Waterproof Exit Button

Stainless steel panel /IP66 waterproof





**Stainless Steel**

**Door Release Button**

**Waterproof IP67**

PH: +86-13554918707

E: sales@goldbridgesz.com

W: www.goldbridgesz.com



**ACM-K819-A**  
115X40mm

**ACM-K819-B**  
86X50mm

**ACM-K819-C**  
115X70mm

**ACM-K819-D**  
86X86mm

Power Supply: 12V-24DC  
Output Contact: NO/NC/COM


Panel Material: 1.8mm Thick Stainless Steel  
Mechanical Life: 500,000 tests

Operating temp: -20°C ~ +55°C(14-131°F)  
Suitable Humidity: 0-95% (relative humidity)





**www.goldbridgesz.com**



**A** K841-A (115x40mm) **B** K841-B (86x50mm)

**C** K841-C (115x70mm) **D** K841-D (86x86mm)

**Touchless**

**Infrared Sensor Exit Button**

Power Supply: 12V-24DC  
Output Contact: NO/NC/COM  
Panel Material: 1.8mm Thick Stainless Steel  
Mechanical Life: 500,000 tests  
Operating temp: -20°C ~ +55°C(14-131°F)  
Suitable Humidity: 0-95% (relative humidity)

PH: +86-13554918707

E: sales@goldbridgesz.com

## Paraments do produto

|                                |                                                      |
|--------------------------------|------------------------------------------------------|
| Número do modelo               | ACM-K841                                             |
| Nome do produto                | Sem interruptor do botão de saída de toque           |
| Material                       | Aço inoxidável                                       |
| Tamanho do produto             | 86*86mm                                              |
| Tensão da fonte de alimentação | 12VDC                                                |
| Saída de contato               | NO/NC/COM/LED                                        |
| Corrente máxima                | 3A / 125-250VAC                                      |
| Teste de resistência           | 100.000 vezes                                        |
| Instalação:                    | <b>estrutura de porta oca (instalação escondida)</b> |
| Parâmetros de embalagem        | 100pcs/15kg/51*43*33cm/ctn                           |

## Detalhes dos produtos

# Infrared Induction Access Switch



Convenient, safe and fast



ACM-K841A



ACM-K841B




ACM-K841C



# Infrared Induction

Infrared sensing distance 5-25cm

Adjustable



# Two Color LED Indicator

Fast response, dual color interactive display, and easy operation in dark environment



Standby Blue



Sensing Green

Selected steel

**1.8 mm thick 304 stainless steel**







Support appearance  
and size customization

Logo pattern supports  
customization

# Product size



|                  |                                  |
|------------------|----------------------------------|
| Power Supply     | 12V or DC24V                     |
| Output Contact   | NO/NC/COM                        |
| Panel Material   | 1.8 mm thick 304 stainless steel |
| Control distance | 5-25 cm, Adjustable              |
| Time delay       | 0-30s, Adjustable                |
| LED Indicator    | Standby blue, Response green     |

# Product display



## Line Sequence Diagram



|        |          |
|--------|----------|
| Red    | DC12-24V |
| Black  | GND      |
| Yellow | COM      |
| White  | NC       |
| Green  | NO       |

# Products List



Inductive switch\*1PCS



Screw\*2PCS

# Wiring Instructions


Red: DC12-24V

Black: GND

Yellow: COM

White: NC

Green: NO



## Recomendar produtos

Recomendar produtos

Sistema de bloqueio do armário

Sistema de trava de portas de hotel

Sistema de Lock Smart Office Home Office

Sistema de controle de acesso

Sistema de estacionamento

## Produtos relacionados





## EXIT BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



K6A K6AL 91x28x20mm  
K6D K6DL K6DW 115x70x25mm 115x70x25mm 115x70x25mm  
K4A K4AL 86x50x33mm



K6B K6BL 86x86x38mm 86x86x38mm  
K4B K4BL 86x86x33mm 86x86x33mm



K14E K14EL 115x40mm  
K14F K14FL 115x70mm 115x70mm  
K14A K13AL 115x40mm  
K14 K14DL 115x70mm 115x70mm



K14B K14BL 86x50mm 86x50mm  
K13B K13BL 86x86mm 86x86mm  
K13BE 86x86mm



K13AB K13A 115x40mm 115x70mm  
K13D K13BD 86x50mm 86x86mm  
K14C K14CL 80x30x24mm 80x30x24mm



K15A K15AL 53x53x25mm 53x53x25mm  
K15B K15C 53x53x25mm 53x53x25mm



K7A K7B 91x28mm 115x70mm  
K8A K8BL 86x86x38mm 86x86x38mm  
K4AC K4AD 86x86x38mm 86x86x38mm



K6AM K6BM 115x40mm 115x70mm  
K6CM K6DM 86x50mm 86x86mm  
K15BG K15BR 53x53x25mm 53x53x25mm



K14BR K14BG 80x30x25mm 80x30x25mm  
M40 M70 115x40mm 115x70mm  
M50 M86 86x50mm 86x86mm

## TOUCH BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



K9A K9B 86x86x20mm 86x50x20mm  
K40A K40B K40C 86x86x18mm 86x86x18mm 86x40x18mm

## NO TOUCH EXIT BUTTON



K2B K2A 86x86x35mm 115x70x25mm  
K9C K10A 86x86x11.5mm 86x86x14mm



K201G K201 92x92x33mm 113x63x20mm  
K406 K-WS 80x32x23mm 80x80x28mm



K505 K505W 86x86x14mm 86x86x14mm  
K505MH K505MHW 86x86x14mm 86x86x14mm



K841A K841C 115x40mm 115x70mm  
K841B K842A K843A 86x86mm 115x40mm 115x40mm

## PLASTIC BUTTON

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



K1 K1-1 K1-2 K1-3 K11A 86x86x25mm 86x86x24mm 86x86x25mm 86x86x20mm 76x23x14mm



P86 P77 86x86x35mm 77x77x45mm

Rated Current: 40A, Power off: 20s delay

## EMERGENCY DOOR RELEASE

Email: [sales@goldbridgesz.com](mailto:sales@goldbridgesz.com)



K3R K3Y K3G K3W 86x86x50mm 86x86x50mm 86x86x50mm 86x86x50mm



K3RR K3RG K3 Transparent 86x86x50mm 86x86x50mm 87x87x60mm



K4G K4GB K4GL K4RG LED/Buzzer Red Green Without LED 90x93x45mm

## You May Need

### Complete Door Access Control Solution Provider



RFID Card



RFID Key fob



RFID Wristband



RFID Reader



Long Distance  
UHF Reader



Access Control  
Reader

## ABOUT GOLDBRIDGE

As a one of leading manufacturer and exporter of RFID products in China, We have been in this field for 20 years already. We have rich production and exportation experience on RFID products. Our strength products are: rfid card, rfid Keyfob, rfid wristband, rfid tag and various rfid reader. We are also the access control solution provider.

[MORE >>](#)





## ABOUT OUR FACTORY

Established in 1999, Shenzhen Goldbridge has witnessed the technological innovation from rfid card to rfid tag, the overall change of market products in the past 20 years, and registered "Shenzhen Goldbridge Industrial Co., Ltd." in 1999.

At present, Goldbridge has developed into a National High-Tech Enterprise, which is specialized in the integration of production, market and research. Starting from the PVC cards and RFID cards factory with only 66 workers, Goldbridge has accomplished the successful transition from traditional manufacturing industry to IOT technology enterprise (RFID technology development).



With the accumulation of dozens of software copyrights and utility new inventions and patents, Goldbridge has been rewarded as "National High-Tech Enterprise", "Shenzhen High-Tech Enterprise", and has become an integrated enterprise which focuses on research, production and market. Meanwhile, by adopting the "Military + School + Family" corporate culture concept, accompanied by the continuous innovation of business model and marketing model, plus the B2B, B2C platform and excellent sales team, Goldbridge sells its products all over the world.



## Honers & Certificates



## WHY CHOOSE US?

- **Long History & High Reputation**

Founded in 1999. Great Creativity Group dedicates in R&D, producing and sale of RFID products and Plastic Card. We own 12,000 square meters factory, 3000 square meters office and 8 branches so far.

- **Advanced Equipments & Ultimate Production Ability**

2 Modern high standard production lines with monthly output 30,000,000pcs cards. Brand-new CTP machines and Germany Heidelberg offset printing machines. 10 sets of compounding machines.

- **Self R&D Customization**

Our company offering management application project, equipment application, scheme and personalized RFID end product.

- **Strict Quality Control**

Strict QC System from raw material to finished products. We have passed certified ISO9001, SGS, ROHS, EN-71, BV etc. We promise all products will be examined strictly and we ensure that the products we deliver to you with top quality.

## FAQ

**Q** Do you accept Trade Insurance ?

Yes of course, please click [here](#) to issue a trade insurance order.

**A**

**Q** Do you offer a customized sourcing service ?

**A** Yes please contact our sales team directly.

**Q** What format files shall we send for printing?

Adobe illustrator would be best, cdr, Photoshop and PDF files are also OK.

**A**

**Q** How long is your warranty time?

**A** Function warranty time is 3years, printing warranty time is 1year.

You may negotiate with our sales team when ordering.

**Q** Do you own your own factory?

**A** Yes we have 3000 square meter workshop for RFID/NFC products.

**Q** Could I get the free sample for testing?

**A** Yes, in order to show our sincerity, we could support the free sample to you for testing..

**Q** Do you also supply OEM service?

**A** Yes, Since we keep professional manufactory with own moulding line and product line, so you could put your LOGO on our products to make them unique