

Описание продукта

[Аренда хозяев и домовладельцев] АСМ умный дверной замок — отличное решение для хозяев Airbnb, сдающих в краткосрочную аренду, сдаваемую в аренду недвижимость, управление, и индивидуальный жильё. Сгенерируйте пароль удаленно и поделитесь им со своими посетителями.

[Несколько способов разблокировки] Усовершенствованный интеллектуальный дверной замок с бесключевым доступом 5-в-1: отпечаток пальца код брелок смартфон ключ.

[Легко установить] Легко установить за считанные минуты с помощью крестовой отвертки, следуя короткому видео по установке. Никаких тренировок

Нужный. Слесарь не нужен. Дверная ручка перенавешивается как для левой, так и для правой двери.

[Пульт дистанционного управления] В сочетании с Wi-Fi-шлюзом YISTAR G2 (дополнительная надстройка, продается отдельно) вы можете заблокировать/разблокировать интеллектуальный дверной замок.

где угодно и когда угодно, настраивайте коды удаленно и проверяйте журналы доступа в режиме реального времени.

Функции:

Материал: сплав цинка и закаленное стекло.

Цвет: черный/серебристый

Способ открытия: приложение отпечаток пальца пароль карта ключ

Направление ручки (регулируемое): тянуть влево, тянуть влево, тянуть вправо, тянуть вправо.

Класс цилиндра: цилиндр с лезвием класса C

Применения: Семья, Квартира, Школа, Офис

Подходящая дверь: Деревянная дверь/Защитная дверь/Огнестойкая дверь/Дверь из нержавеющей стали

Корпус замка: Устойчив к распиловке, Устойчив к выдергиванию, Устойчив к взлому, Защита от кражи.

Источник питания: 4 батарейки AA (не входят в комплект)

Толщина двери: 35-70 мм

Группа хранения отпечатков пальцев: 200

Группа хранения карт: 200

Аварийное питание USB: поддержка скорости распознавания: ≤0,5 с.

FAR: ≤0,001%, FRR: ≤1%

Технические характеристики:

Толщина дверного замка: 1,37-1,88 дюйма (35-48 мм)

Расстояние до дверного отверстия: 2,375-2,75 дюйма (60-70 мм)

Диаметр отверстия: 2,125 дюйма (54 мм)


Уровень дверного замка: Дверной замок уровня IP54. Защищен от брызг воды, подходит для использования как на открытом воздухе, так и в помещении Срок службы батареи:

Гарантия до 1 года при более чем 10 000 блокировках/разблокировках.

Тип батареи: 4 щелочные батарейки AA (НЕ ВХОДЯТ В КОМПЛЕКТ)

Детальные изображения

Product Parameters



Model: 2020E

Material: Stainless steel

Color: Black/Red/Silver

Panel size: 306*75*12mm

Usage: Hotel/Apartment/School

Cylinder: Copper cylinder


Mortise: Automatic Lock

Unlock way: Card, Key


Work Voltage: 4pcs 5#Alkaline battery

Low voltage alarm: <4.8V still can open

Door thickness: 38-50mm (can customize)



Panel Size



Mortise Size

Configuration

Name	Unit	Quantity	Recommended Configuration
Hotel lock	pcs	1	Each room 1 pcs hotel lock
Encoder	pcs	2	Recommend 2 pcs, 1pcs for front desk, 1pcs spare
Switch	pcs	1	Each room 1 pcs, insert card for electricity
Card	pcs	3	Each room suggest 3-5 pcs cards
Lock software	pcs	1	For managing the locks (For free)
Gate block	pcs	1	Optional, the room card opens the gate control
Elevator control	pcs	1	Optional, swipe room card to use elevator
Data collector	pcs	1	Optional, download lock opening record

lockfactory.en.alibaba.com

Guidelines for Changing Locks

1 Door Lock Opening Direction

Tip : How to choose the lock opening direction?


Standing outside the door, where is the hinge mounted, which side is open

- A \ (Right push) — The hinge is mounted on the Right side of the door frame and push the door
- B \ (Right pull) — The hinge is mounted on the Right side of the door frame and pull the door
- C \ (Left pull) — The hinge is mounted on the Left side of the door frame and pull the door
- D \ (Left push) — The hinge is mounted on the Left side of the door frame and push the door



2 Measuring related dimensions

Friendly tip: For changing locks, must measure these 3 place as below




Measure door thickness

Measure guide piece length

Measure guide piece thickness

3 Choose guide piece model



- A . Right angle double hole guide piece
- B . Right angle single hole guide piece
- C . Rounded double hole guide piece
- D . Rounded single hole guide piece

Friendly tip:
The standard package one is "B",
if need other choice, pls contact supplier

4 Pls inform the related data

Door lock open direction	☐ Left push ☐ Left pull ☐ Right push ☐ Right pull
Door thickness	_____mm
Mortise guide-piece length	_____mm
Mortise guide-piece thickness	_____mm

Friendly tip :

If your door is customized one,
only need to inform the
door thickness and opening direction .



Hotel Safety Partner

Luxury design



Security Certification

The Situation you meet

Rixiang door lock help you solve



More rooms, difficult to manage

Tenant leaves, change locks

Refuse pay room rate



Emergency situation



Forget take the card

Why Choose us



Unified Management

The front desk unified control the unlocking authority



Card loss

Computer control card lost



Cancel permission

Refuse pay the room rate, Stop unlocking permission



Emergency unlock

Emergency situation, use key unlock



Security Standard

National lock certification
Official authority certification



Swipe card conveniently

Read Sensitive
Unlock as low as 0.5s



False lock alarm

Avoid not closing the door
Reduce accidents




Solid anti-lock bolt

Protect your security

lockfactory.en.alibaba.com





Шлюз (не входит в комплект, нажмите на картинку, чтобы заказать)

После настройки шлюза

Он может подключаться к Wi-Fi, всеми функциями можно управлять удаленно.
И совместим с Google Home и Alexa.



Информация о компании

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Door Lock Production Line

Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE

WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.



APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE

