

Ürün Açıklaması

120LBS uzaktan kumanda kiti sistemi ile elektrikli manyetik kapı kilidi

12V Tutma Kuvveti 60kg 120lbs Sıva Üstü Çerçevesiz Cam Kapı Manyetik Kapı Kilidi

Tip: 60KG Manyetik kilit

Malzeme: Alüminyum alaşımlı kabuk demir levha

Tutma kuvveti: 60KG/120lbs

Çalışma Gerilimi: DC 12V

Çalışma Akımı: 110mA

Nem: %0 - 95

Çalışma Sıcaklığı: -10 ila 55 Santigrat derece

Çalışma modu: kilitlemek için açma, kilidini açmak için kapatma

Tek kapı için çalışmak

Boyut: 80*37*24mm/ 70*33*10mm

Ürün Parametresi Parametre Açıklama

Kilit Boyutu : 80x38x25mm

Tutma Kuvveti : 60kg (100Lbs)

Giriş gerilimi : 12/24VDC Çift Voltaj

Kapı için uygun: Ahşap kapı, Cam kapı, Metal kapı, Yanmaz kapı

Sinyal Çıkışı : Kilit sinyali Durum NO/NC/COM/-


Özellik: Fail Safe, Zamanlayıcı gecikmesi, geri besleme sinyali, 12V/24VDC ikili voltaj


NEDEN OLMUŞ: Kırmızı, kilidin açık olduğunu gösterir, Yeşil, kilitli olduğunu gösterir

Ağırlık: 0.6kg

Sertifika: CE / MA









REMOTE CONTROL
WORKING VOLTAGE:DC12V
FREQUENCY:433MHZ
MODEL: HBK-R01


POWER

EXIT
BUTTON


MODE OF LOCK
NC NO

LOCK

Dimension



Power 12VDC:




Armature Plate




⚠ Caution:

- A. The screw of armature plate should not be fixed too tight, proper elasticity should be guaranteed for the rubber ring so that the armature plate can adjust itself to the appropriate position.
- B. Please keep the surface of the lock clean, or the force will be reduced because of the dust, glue or scotch tape on it.


Installation



Demonstration of Standard Installation



Demonstration of Z Bracket Installation



Demonstration of UL Bracket Installation



ilgili ürünler



Re: Door Electromagnetic Magnetic EM Lock

Model: M60 Magnetic lock 60kg/120lbs	Model: YM180 Magnetic lock 180kg/300lbs	Model: M280 -2Pin Magnetic lock 280kg/600lbs	Model: M350 -2Pin Magnetic lock 350kg/800lbs	Model: M500 -2Pin Magnetic lock 500kg/1200lbs
Model: M180N -2Pin Mortise Concealed EM lock 180kg/300lbs	Model: M280N -2Pin Mortise Concealed EM lock 280kg/600lbs	Model: M350N -2Pin Mortise Concealed EM lock 350kg/800lbs	Model: M500N -2Pin Mortise Concealed EM lock 500kg/1200lbs	Model: ACM-280W Outdoor Waterproof Magnetic lock 280kg/600lbs
Model: M180D Double Door 180kg/300lbs Magnetic lock	Model: M280D Double Door 280kg/600lbs Magnetic lock	Model: M350D Double Door 350kg/800lbs Magnetic lock	Model: M500D Double Door 500kg/1200lbs Magnetic lock	Model: ACM-500W Outdoor Waterproof Magnetic lock 500kg/1200lbs

RE: Bracket used for Above Brand Magnetic EM Lock




ZL Bracket for Magnetic EM Lock

Item#	ZL Bracket Dimension
M180ZL	Z bracket: 140*36*36mm
M280ZL M350ZL	L bracket: 250*50*30mm
M500ZL	Z= 185*70*63mm




ZL Bracket for Magnetic EM Lock

Item#	ZL Bracket Dimension
M180Z	Z bracket: 140*36*36mm
M280Z M350Z	Z bracket: 180*50*50mm
M500Z	Z= 185*70*63mm



U Bracket for Magnetic EM Lock

Item#	U Bracket Dimension
M180U	U bracket: 182*45*28mm
M280U M350U	L bracket: 140*33*25.5mm



L Bracket for Magnetic EM Lock

Item#	U Bracket Dimension
M180L	L bracket: 168*38*24mm
M280L M350L	L bracket: 250*50*30mm
M280DL	L bracket For double door magnetic lock 600lbs
M500L	L=265*73*45mm

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

kalite garantisi

- Hasar insan kaynaklı değilse Garanti Hizmeti yerine getirilecektir, ACM Goldbridge ilgili ürünler için 2 yıl garanti vermektedir.
- Aksine, ACM Goldbridge onarım durumunda ekstra ücret alacaktır.
- Daha fazla bilgi için lütfen servis merkezimize göz atın.

Kurulum Şeması

STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .



2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.



3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).



7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.



9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.



11 Use Allen key to screw the lock body on the mounting plate.



12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
6.8mm for M8-1.25thread
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

Paketleme ve Teslimat

Nakliye yolu

DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA ve By AIR ile güçlü bir işbirliğimiz var. Ayrıca kendi nakliye ileticinizi de seçebilirsiniz.

Ambalajlama

Manyetik Kilit ambalajı: kutu başına 1 birim, karton başına 5 adet,
Koli boyutu : 35*30*16cm , Brüt Ağırlık :25kg.



You may need



ACM-Y280N

Arka plaka manyetik kilit
(280kgs/600lbs) Şunlar için uygundur:
Ahşap Kapı, Cam Kapı, Metal Kapı,
Yangın| Prova Kapısı

ACM-Y180

Sıva üstü (180kg/300lbs) manyetik kilit
2Sürgü Arızaya karşı korumalı. Uygun
Olduğu Yerler: Ahşap Kapı, Cam Kapı,

Metal Kapı, Yangına Dayanıklı Kapı.

ACM-Y280

280kg(600lbs) Tek Kapılı Manyetik Kilit Şunlar İçin Uygundur: Ahşap Kapı, Cam Kapı, Metal Kapı, Yangına Dayanıklı Kapı.



ACM-Y280-L

280kg/350kg Manyetik Kilit için L Braketi

ACM-Y180ZL

180kg/300lbs Manyetik Kilit için ZL Braketi

ACM-Y280-ZL

280Kg/350Kg Manyetik Kilit için ZL
Braketi

Servisimiz

- 1, Herhangi bir soruşturma 24 saat içinde cevaplandırılacaktır.
- 2, Profesyonel üretici ve tedarikçi, Web sitemizi ve fabrikamızı ziyaret etmenizi bekliyoruz
- 3, OEM/ODM Mevcut
- 4, Yüksek kalite, şık tasarım, makul ve rekabetçi fiyat, hızlı teslim süresi
- 5, Satış Sonrası Hizmet:
 - 1), tüm ürünler ambalajlamadan önce evde kesinlikle kalite kontrolünden geçirilecektir.
 - 2), tüm ürünler göndermeden önce iyi paketlenmiş olacak
 - 3), Hasar insan kaynaklı değilse, tüm ürünlerimiz 2-3 yıl garantilidir.
- 6, Daha hızlı teslimat : Numune siparişi için yaklaşık 1~5 gün, toplu sipariş için 7~30 gün
- 7, Ödeme : Sipariş için şu yollarla ödeme yapabilirsiniz: T/T, Western Union, Paypal.
- 8, Nakliye: DHL, FEDEX, TNT, UPS, EMS, SEA ve AIR tarafından Forwarder ile güçlü bir işbirliğine sahibiz, ayrıca kendi nakliye iletcinizi de seçebilirsiniz.

SSS

S: 1. Nasıl sipariş verebilirim?

C: Lütfen ihtiyacınızı e-posta yoluyla bize bildirin. Daha sonra teklifi size en erken zamanda göndereceğiz, sipariş onayından sonra en kısa sürede üretimi ayarlayacağız.

S: 2. Ödeme ve sevkiyat ne durumda?

C: TT/T, Paypal, Western Union.

Müşteriler deniz, hava veya ekspres (DHL, FedEx, TNT UPS vb.)

S: 3. Kalitenizi kontrol etmek için nasıl numune alabilirim?

A: size ücretsiz numune sağlayabiliriz ve navlun bedeli sizin tarafınızdan ödenir.

S:4. Örnekleri ne kadar süre alabilirim?

A: miktarına bağlıdır. Normalde 5000 adet için 3-7 gün ve 100.000 adet için 7-15 gün

S:5. Ürünleriniz özelleştirilebilir mi?

C: Malzeme, boyut, kalınlık ve baskı dahil olmak üzere ürünlerinizin neredeyse tamamı özelleştirilmiştir. OEM siparişleri memnuniyetle karşılanır.

S: 6. Bir ticaret şirketi veya fabrika mısınız?

Çin'de 20 yılı aşkın bir süredir RFID kartları/NFC etiketleri/RFID keybod/RFID bilekliği, rfid okuyucu ve erişim kontrol ürünlerinin en büyük üreticilerinden biriyiz.

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized etc



Door Lock Production Line

Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



