

Mıknatıs Kilidi 180 KG 350lbs 280 KG 500 KG Elektrikli Manyetik Kilit DC 12 V Kapı Erişim Kontrol Kapısı için Elektromanyetik Kilitler



Product Parameter	Parameter Description
Lock Size :	170x40x21mm
Armature plate:	190Lx190Lx45Wx11H(mm)
Holding Force :	180kg (300Lbs)
Input Voltage :	12/24VDC Dual Voltage
Suitable for door:	Wooden door , Glass door ,Metal door , Fireproof door
Singal Output :	Lock singal Status NO/NC/COM/+/-
Feature:	Fail Safe, Timer delay, feedback signal, 12V/24VDC dual voltage
LED:	Red shows unlocked, Green shows locked
Weight:	1.4kgs
Certification:	CE /MA

Kilit boyutları: 80 x 40 x 22 mm
Armatür plakası: 74 x 35 x 10 mm
Maksimum gerginlik: 60 kg (100 lbs)
Giriş voltajı: DC12V %10
Çalışma akımı: 12V/300mA
Yüzey sıcaklığı: Ortam sıcaklığının 20 derece altında
Uygun sıcaklık: -10 ila 55 derece (14-131F)
Uygun nem: %0 ila %90 bağıl nem
Kabuk: Anodize kaplama işleme
Kilit ve emme plakası işleme: Çevre dostu çinko kaplama işleme
Ağırlık: 0.55kg
Dosya dolapları, küçük kapılar ve daha fazlası için uygundur.

Erişim kontrol cihazı ile bağlantı şeması



180kg 350lbs



280kg 600lbs



320kg 800lbs



500kg 1000lbs





Product Description



Packing & Delivery



Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.

Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,

Carton size : 26*26*10cm , Gross Weight :46kg. 50 cartons per pallet

With U Bracket Installation Guide



With L Bracket Installation Guide



With ZL Bracket Installation Guide





SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

Whatsapp: +86-13554918707 ;E-mail: sales@goldbridgesz.com ; Website: www.goldbridgesz.com
Add: Block A, Zhantao Technology Building, Minzhi Avenue , Longhua District, Shenzhen, China

**Electromagnetic EM Lock & Bracket - Factory Distributor Price List****Re: Door Electromagnetic Magnetic EM Lock**

Model: M60 Magnetic lock 60kg/120lbs	Model: YM180 Magnetic lock 180kg/300lbs	Model: M280 -2Pin Magnetic lock 280kg/600lbs	Model: M350 -2Pin Magnetic lock 350kg/800lbs	Model: M500 -2Pin Magnetic lock 500kg/1200lbs
Model: M180N -2Pin Mortise Concealed EM lock 180kg/300lbs	Model: M280N -2Pin Mortise Concealed EM lock 280kg/600lbs	Model: M350N -2Pin Mortise Concealed EM lock 350kg/800lbs	Model: M500N -2Pin Mortise Concealed EM lock 500kg/1200lbs	Model: ACM-280W Outdoor Waterproof Magnetic lock 280kg/600lbs
Model: M180D Double Door 180kg/300lbs Magnetic lock	Model: M280D Double Door 280kg/600lbs Magnetic lock	Model: M350D Double Door 350kg/800lbs Magnetic lock	Model: M500D Double Door 500kg/1200lbs Magnetic lock	Model: ACM-500W Outdoor Waterproof Magnetic lock 500kg/1200lbs

RE: Bracket used for Above Brand Magnetic EM Lock



**ZL Bracket for
Magnetic EM Lock**

Item#	ZL Bracket Dimension
M180ZL	Z bracket: 140*36*36mm
M280ZL M350ZL	L bracket: 250*50*30mm
M500ZL	Z= 185*70*63mm




**ZL Bracket for
Magnetic EM Lock**

Item#	ZL Bracket Dimension
M180Z	Z bracket: 140*36*36mm
M280Z M350Z	Z bracket: 180*50*50mm
M500Z	Z= 185*70*63mm



**U Bracket for
Magnetic EM Lock**

Item#	U Bracket Dimension
M180U	U bracket: 182*45*28mm
M280U M350U	L bracket: 140*33*25.5mm



**L Bracket for
Magnetic EM Lock**

Item#	U Bracket Dimension
M180L	L bracket: 168*38*24mm
M280L M350L	L bracket: 250*50*30mm
M280DL	L bracket For double door magnetic lock 600lbs
M500L	L=265*73*45mm

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Prouducts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

kalite garantisi

- Hasar insan kaynaklı değilse Garanti Hizmeti yerine getirilecektir, ACM Goldbridge ilgili ürünler için 2 yıl garanti vermektedir.

- Aksine, ACM Goldbridge onarım durumunda ekstra ücret alacaktır.
- Daha fazla bilgi için lütfen servis merkezimize göz atın.

Kurulum Şeması

STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .



2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.




3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).




7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.



9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.




11 Use Allen key to screw the lock body on the mounting plate.



12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 16mm



Wooden Door
Drill a hole
Inside: Diameter is 8mm
Outside: Diameter is 12.7mm



Metal Surface Door
Inside: Drill a hole
diameter is 8mm folding
the plastic straight pin

Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

Paketleme ve Teslimat

Nakliye yolu

DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA ve By AIR ile güçlü bir işbirliğimiz var. Ayrıca kendi nakliye iletcinizi de seçebilirsiniz.

Ambalajlama

Manyetik Kilit paketleme: kutu başına 1 birim, karton başına 10 adet,
Koli boyutu : 26*26*10cm , Brüt Ağırlık :46kg. Palet başına 50 karton



ilgili ürünler



ACM-Y280N

Arka plaka manyetik kilit
(280kgs/600lbs) Şunlar için
uygundur: Ahşap Kapı, Cam Kapı,
Metal Kapı, Yangın| Prova Kapısı

ACM-Y180

Sıva üstü (180kg/300lbs) manyetik
kilit 2Sürgü Arızaya karşı korumalı.
Uygun Olduğu Yerler: Ahşap Kapı,

Cam Kapı, Metal Kapı, Yangına Dayanıklı Kapı.

ACM-Y280

280kg(600lbs) Tek Kapılı Manyetik Kilit Şunlar İçin Uygundur: Ahşap Kapı, Cam Kapı, Metal Kapı, Yangına Dayanıklı Kapı.



ACM-Y350

Tek Kapılı Manyetik Kilit
350kgs(800lbs) Uygun Olanlar:
Ahşap Kapı, Cam Kapı, Metal Kapı,
Yangına Dayanıklı Kapı.

ACM-Y500

Tek Kapılı Manyetik Kilit

500kgs(1000lbs) Uygun Olanlar:

Ahşap Kapı, Cam Kapı, Metal Kapı,
Yangına Dayanıklı Kapı.

ACM-Y280-W

Tek Kapılı Manyetik Kilit

280kgs(600lbs) Su Geçirmez. Şunlar

İçin Uygun: Ahşap Kapı, Cam
Kapı, Metal Kapı, Yangına Dayanıklı
Kapı.

You may need





ACM-Y100S

Elektrikli Sürgü Kilidi (5PIN)
Manyetik özellikli, arıza emniyetli
elektrikli sürgü

ACM-Y130

Elektrik Karşılıklı Kilit
(NC/NOOpsiyonel)
Kilit Boyutu : 110x28x31mm

ACM-Y066

Akıllı Akıllı Kilit (motor kilidi)
Kilit boyutu: 130x98x41mmÇalışıyor

Kapı Manyetik Kilitli Braket İhtiyacı





ACM-Y180-L

180kg Manyetik Kilit için L Braketi

ACM-Y180ZL

180kg/300lbs Manyetik Kilit için ZL Braketi

ACM-Y180-ZL

180Kg Manyetik Kilit için ZL Braketi

Servisimiz

- 1, Herhangi bir soruşturma 24 saat içinde cevaplandırılacaktır.
- 2, Profesyonel üretici ve tedarikçi, Web sitemizi ve fabrikamızı ziyaret etmenizi bekliyoruz
- 3, OEM/ODM Mevcut
- 4, Yüksek kalite, şık tasarım, makul ve rekabetçi fiyat, hızlı teslim süresi
- 5, Satış Sonrası Hizmet:
 - 1), tüm ürünler ambalajlamadan önce evde kesinlikle kalite kontrolünden geçirilecektir.
 - 2), tüm ürünler göndermeden önce iyi paketlenmiş olacak
 - 3), Hasar insan kaynaklı değilse, tüm ürünlerimiz 2-3 yıl garantilidir.
- 6, Daha hızlı teslimat : Numune siparişi için yaklaşık 1~5 gün, toplu sipariş için 7~30 gün
- 7, Ödeme : Sipariş için şu yollarla ödeme yapabilirsiniz: T/T, Western Union, Paypal
- 8, Nakliye: DHL, FEDEX, TNT, UPS, EMS, SEA ve AIR tarafından Forwarder ile güçlü bir işbirliğine sahibiz, ayrıca kendi nakliye ileticinizi de seçebilirsiniz.

Şirket Bilgisi:

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba,
Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader,
UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery




Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- LONG HISTORY** 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



Access Control CE Access Control RoHS EM Lock EMC Certificate EM Lock RoHS Certificate



RFID Card Reader CE RFID Card Reader RoHS UHF Reader CE Certificate UHF Reader RoHS



