

## Ürün Açıklaması



### **12 V Emniyet Mıknatısı Elektronik Uzaktan Kumandalı Elektrik Şeridi Gizli Gömme Akıllı Rfid Manyetik Kapı Kilidi**

NC modu - (güç verilirken kilitli), arıza korumalı mod

LED Kapı Durumunu Gösterir

Tutma kuvveti yaklaşık 280kg (600Lbs)

Uygun Olduğu Yerler: Ahşap kapı, Cam kapı, Metal kapı, Yanmaz

kapı

ACM, ABD ve Kanada'da listelenmiştir. ACM Sertifika Numarası 20121130-R27474, bu sertifikada belirtilen ürünün temsili numunelerinin mevcut ACM gerekliliklerine göre test edildiğini tasdik etmek içindir Eş Doğrusal Yük Testi 280kg /600pound  
Çift Voltaj 12 veya 24 VDC (Opsiyonel)  
Bittiğinde Standart Voltaj 12VDC'dir  
Çıkış Konağı: NO/NC/COM  
MOV Ters Akım Koruması Sağlar  
Anti-Artık Manyetizma Tasarlanmış  
Yüksek Mukavemetli Malzeme, Eloksallı Alüminyum Gövde  
Mekanik Arızasız Tasarım  
Tutma Kuvvetini Artırın, Çift Yalıtımlı Muhafaza

- ✓ Thick aluminum alloy
- ✓ strong and sturdy
- ✓ Electronically
- ✓ controlled magnetic force  
Anti-theft

Magnetic lock

280kg

## Alloy Lock Body Excellent Craftsmanship



# DETAILS

01

## Alloy lock body

---

The lock body is made of high-quality aluminum alloy. Robust and classic design. Fine workmanship made of aluminum alloy material, High strength and durability.



02

## Anti-theft device

---

The access control magnetic lock is equipped with a screw wrench for security. When the magnetic lock is installed outdoors, in the locked state, people outside will also remove it for safety and peace of mind.

03

## Suction patch

---

Using precision components,  
each magnetic lock is  
Tested by precision instruments,  
good performance,  
Stable quality and guaranteed  
after sales.



04

## Stable suction

---

This magnetic lock has a pull-  
ing force of 280kg, which is  
stable and durable, safe and  
reliable.

06


## Lock indicator

---


Under normal conditions,  
the red light is off  
Red light on means locked




## Magnetic lock external opening installation step diagram



Opening method →




1. Standard hole bitmap




2. Use a screwdriver to unscrew the anti-removal screws.




3. Separate the lock body and the connecting plate with a hexagonal key.




4. Find the appropriate position and attach the connecting plate to the door frame.




5. Secure the lock body and connecting plate with a hexagonal key.



6. Install the attachment plate, first pad the gasket and rubber ring, and arrange them in order.



7. Fix it with screws, the effect is as shown in the figure.



8. Final effect diagram.

öge

Anavatan

Sertifikasyon

Tutma Kuvveti

Kilit Durumu Göstergesi

Kilit Durum Sensörleri

Anma Çalışma Gerilimi

Anlık tüketim

Mıknatıs için yüzey kaplaması

Mıknatıs Boyutları (U x G x D)

değer

Çin

Guangdong

CE,

280kg (600Lbs)

Kırmızı ve Yeşil, çift renkli LED

NO,NC,COM

12/24VDC

12V/500mA 24V/250mA

Çinko kaplamalı

250Ux48Gx25Y(mm)

Armatür Plaka Ölçüleri(U x G x D) 180L\*38W\*11H(mm)  
kg cinsinden ağırlık 2,0 kg

## Packing & Delivery



## Shipping Way

We have strong cooperation with DHL, FEDEX, TNT, UPS, EMS, Forwarder by SEA and By AIR You also can choose your own shipping forwarder.

### Packaging

Magnetic Lock packaging: 1unit per box, 10pcs per carton,

Carton size : 26\*26\*10cm , Gross Weight :46kg. 50 cartons per pallet

Shenzhen Goldbridge, IOT RFID ürünleri ve uygulama çözümünün inovasyon Ar-Ge üretimi ve satışına odaklanıyor, rfid okuyucu kategorisi dahil **UHF masaüstü okuyucu yazar, UHF entegre okuyucu, UHF R2000 sabit okuyucu, UHF OEM modülü, RFID el okuyucu, uhf rfid etiketleri, aktif 2.4G rfid okuyucu, EM 125KHZ Uzun menzilli okuyucu, endüstriyel RFID donanımı ve entegre yazılım**, ulusal yüksek teknoloji işletme sertifikası FCC, CE ve ROHS'yi aldı.

ilgili ürünler



# SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

Factory Wholesale with **20% Discount OFF** - **RFID Cards**,  
**RFID Reader**, **Access Control** , **Locks**, **Exit Button**



|                                                            |                                                 |                                                  |                                                   |                                                             |
|------------------------------------------------------------|-------------------------------------------------|--------------------------------------------------|---------------------------------------------------|-------------------------------------------------------------|
|                                                            |                                                 |                                                  |                                                   |                                                             |
| 125Khz EM4100 Proximity Card (ACM-EMI-S)                   | Mifare 1K ISO Blank Card (ACM-MF1)              | 125Khz Clamshell Thick Card (ACM-EMC-I)          | 125Khz EM4100 rfid Key fob (ACM-ABS003)           | 125Khz EM Sillicon Wristband (ACM-W003/005)                 |
|                                                            |                                                 |                                                  |                                                   |                                                             |
| USB Desktop Reader (ACM-08M)                               | Access control rfid reader (ACM-302)            | Access control rfid reader (ACM28A)              | Keypad access control reader (ACM-305)            | Access control rfid reader (ACM-26)                         |
|                                                            |                                                 |                                                  |                                                   |                                                             |
| Metal Touch Screen Keypad IP65 Access Controller (ACM-A10) | Touch Keypad Access Controller (ACM225)         | Metal Keypad Access controller (ACM208A)         | Keypad standalone RFID Access Controller (ACM223) | Metal Keypad Access Controller (ACM209A)                    |
|                                                            |                                                 |                                                  |                                                   |                                                             |
| 2-6Meter UHF Long range rfid reader (ACM813A)              | 6-12Meter UHF Reader (ACM802A)                  | 10-20Meter UHF Reader (ACM819A)                  | 8-12Meter UHF Reader (ACM803A)                    | UHF USB Desktop Encode Reader /Writer with SDK (ACM-217UHF) |
|                                                            |                                                 |                                                  |                                                   |                                                             |
| 60kg/120lbs EM Lock (ACM-Y60)                              | 180kg/300lbs LED EM Lock (ACM-Y180)             | 280kg/600lbs Timer /LED EM Lock (ACM-Y280-5PIN)  | Long type Fail safe Electric Strike (ACM-Y132)    | Drop bolt Deadbolt Lock, Power to unlock (ACM-Y100)         |
|                                                            |                                                 |                                                  |                                                   |                                                             |
| Yale Waterproof Electric RIM Lock (ACM-Y045)               | No touch Door Release Exit Button (ACM-K2A/K6A) | Dual function : Power Supply+exit button (Y802A) | QR CODE Scanner rfid Reader                       | Passport ID Scanner (ACM901)                                |

## SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

Whatsapp: +86-14554918707 , E-mail: lilyjiang\_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Products Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !


## Ürün Avantajı

- Doğrusal Yük Testi 280kg, 600pound.
  - Çift Voltaj 12 veya 24 VDC (isteğe bağlı).
  - Bittiğinde Standart Voltaj 12VDC'dir.
  - MOV Ters Akım Koruması Sağlar.
  - Ahşap Kapı, Cam Kapı, Metal Kapı, Yanmaz Kapı için uygundur.
  - LED Kapı Durumunu gösterir.
  - Kilit Durumu sensörü (NO / NC / COM)
  - Kapı Durum sensörü (NO / NC / COM)
  - Anti-Rezidüel Manyetizma Tasarlanmıştır.
  - Yüksek Mukavemetli Malzeme, Eloksallı Alüminyum Gövde.
  - Mekanik Arızasız Tasarım.
  - Tutma Kuvvetini artırın, Çift İzolasyonlu Muhafaza.
  - Avrupa Birliği'nden CE Belgesi, Çin Kamu Güvenlik Ofisi'nden MA Belgesi
- Ayrıntılı Görüntüler, OEM / ODM mevcuttur



Kilidimiz çalışma heykelini göstermek için LED ışıklıdır, ışık kilitlendiğinde yeşil, açıldığında kırmızı . Işık heykeli değiştirilebilir.

ACM-Y280 sinyal ıkıřlıdır. PCB kartı zelleřtirilebilir. 12v & 24v dual voltaj ve 7 telli baėlantı ile kilit yapabilmekteyiz. Ařaėıdaki fotoėraf isteėe baėlı PCB kartıdır.



## kalite garantisi

- Garanti Hizmeti ACM Goldbridge, ilgili rnler iin 2 yıl garanti vermektedir.
- Aksine, ACM Goldbridge onarım durumunda ekstra cret alacaktır.
- Daha fazla bilgi iin ltfen servis merkezimize gz atın.

## Kurulum řeması

# STANDARD INSTALLATION STEPS

Professional guidance, Rest assured



1 Fold the plate to 90° .



2 Close the door first, then place the upper side of template on door frame, while adjust the left side next to the door leaf.



3 Mark screw positions of armature plate and magnetic lock on door leaf and door frame respectively.



4 Drill holes based on the marked positions.



5 Make a combination based on the picture.



6 Strike the pin into the armature plate slightly (to avoid movement).



7 Make a combination based on the picture (add washer accordingly). The rubber ring must be added.



8 Place the rubber ring between armature plate and door leaf.



9 Use Allen key to remove the mounting plate from lock body.



10 Fix the mounting plate on the door frame according to the holes drilled earlier.



11 Use Allen key to screw the lock body on the mounting plate.



12 Close the door to test holding force. The angle between armature plate and magnetic lock can be adjusted by adding or reducing washers.



13 After all the appropriate procedures, the holding force can be maximized. Finally, fix the tamper screw.



Hollow Metal Door  
Drill a hole  
Inside: Diameter is 8mm  
Outside: Diameter is 16mm



Wooden Door  
Drill a hole  
Inside: Diameter is 8mm  
Outside: Diameter is 12.7mm



Metal Surface Door  
Inside: Drill a hole  
diameter is 8mm folding  
the plastic straight pin

## Notice:

Thickness of Door Leaf:

350LBS: 44mm

600LBS: 50mm

800LBS: 48mm

1200LBS: 46mm

## Paketleme ve Teslimat

### Nakliye yolu

DHL, FEDEX, TNT, UPS, EMS, SEA ve AIR tarafından nakliyeciler ile güçlü bir işbirliğimiz var. Kendi nakliye iletcinizi de seçebilirsiniz.

### Ambalajlama

Manyetik Kilit ambalajı: Kutu başına 1 birim, karton başına 12 adet,  
Karton boyutu: 54,3 \* 13,5 \* 19,3cm, Brüt Ağırlık: 25kg Palet başına 50 karton



## ilgili ürünler



### **ACM-Y280N**

Manyetik kilitli arka plaka (280kgs / 600lbs) Uygun olduğu yerler: Ahşap Kapı, Cam Kapı, Metal Kapı, Yangın | Prova Kapısı

### **ACM-Y180**

Sıva üstü (180kg / 300lbs) manyetik kilit 2Cıvata Arıza emniyeti.

### ACM-Y280

280kg (600lbs) Tek Kapılı Manyetik Kilit Şunlar için uygundur: Ahşap Kapı, Cam Kapı, Metal Kapı, Yangına Dayanıklı Kapı.



### ACM-Y350

Tek Kapılı Manyetik Kilit 350kgs (800lbs) Uygun Olanlar: Ahşap Kapı, Cam Kapı, Metal Kapı, Yangına Dayanıklı Kapı.

### ACM-Y500

Tek Kapılı Manyetik Kilit 500kgs

(1000lbs) Uygun Olanlar: Ahşap Kapı, Cam Kapı, Metal Kapı, Yangına Dayanıklı Kapı.

### ACM-Y280-W

Tek Kapılı Manyetik Kilit 280kgs  
(600lbs) Su Geçirmez. Uygun Olduğu Yerler: Ahşap Kapı, Cam Kapı, Metal Kapı, Yangına Dayanıklı Kapı.

You may need



### ACM-Y100S

Elektrikli Sürgü Kilidi (5PIN) Manyetik

özellikli, arıza emniyetli elektrikli  
sürgü

### **ACM-Y130**

Elektrik Karşılıklı Kilit (NC /  
NOOpsiyonel)  
Kilit Boyutu: 110x28x31mm

### **ACM-Y066**

Akıllı Akıllı Kilit (motor kilidi)  
Kilit

## Servisimiz

- 1, Herhangi bir soruşturma 24 saat içinde cevaplandırılacaktır.
- 2, Profesyonel üretici ve tedarikçi, Web sitemizi ve fabrikamızı ziyaret etmenizi bekliyoruz
- 3, OEM / ODM Mevcut
- 4, Yüksek kalite, şık tasarım, makul ve rekabetçi fiyat, hızlı teslim süresi
- 5, Satış Sonrası Hizmet:
  - 1), tüm ürünler ambalajlamadan önce evde kesinlikle kalite kontrolünden geçirilecektir.
  - 2), tüm ürünler göndermeden önce iyi paketlenmiş olacak
  - 3), Hasar insan kaynaklı değilse, tüm ürünlerimiz 2-3 yıl garantilidir.
- 6, Daha hızlı teslimat : Örnek sipariş için yaklaşık 1 ~ 5 gün, toplu sipariş için 7 ~ 30 gün
- 7, Ödeme: Sipariş için şu yolla ödeme yapabilirsiniz: T / T, Western Union, Paypal
- 8, Nakliye: DHL, FEDEX, TNT, UPS, EMS, SEA Forwarders ve By AIR ile güçlü bir işbirliğimiz var, kendi nakliye forwarderınızı da seçebilirsiniz.

# 20<sup>+</sup> YEARS EXPERIENCE OEM & ODM

## ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized  
Services



Quality  
Assurance



Fast  
Delivery



Best After-  
Sales Service

## OUR FACTORY



### Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



### Door Lock Production Line

### Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



### RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

## ADVANTAGE

### WHY CHOOSE US?



- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

## APPLICATION

Bus, supermarket, school, government, hospital, factory



## CERTIFICATE



