

Ürün Açıklaması

1. Ürün tanıtımı


- 1.5-Kilit Açma Yolları: Cep telefonu uygulaması (Tuya veya TT kilidi tuya zigbee), Parmak İzi, Şifre, Kart ve Acil Durum Anahtarları. Anahtarı getirmeyi unutma konusunda endişelenmeyin.
2. Parmak izi, şifre, anahtar, kart - anahtar dışında her biri 100 kapasitelidir, 3 adet anahtar varsayılandır;
3. Kayıtların kilidini açma ve cep telefonundan uzaktan kumanda ile Wifi APP erişimi için isteğe bağlı (ekstra ağ geçidine gerek yok);
4. Bluetooth APP erişimi için isteğe bağlıdır;
5. Uzaktan kumanda için isteğe bağlı, denetleyici frekansı 433MHz'dir;
6. Pil destekli çalışma - 4X 5# Alkalın piller. VEYA kullanım frekansınıza karşı DC 12V güç kaynağı;
7. Yarı iletken parmak izi okuyucu kafasıyla;
8. Çift silindirli ve Tek silindirli istek üzerine sağlanır;
9. Ahşap kapı, demir kapı, alüminyum kapı, çelik sac kapı vb. için yaygın olarak uygundur...
10. Ev, apartman dairesi, ofis vb. için geniş uygulama alanı.
11. Maliyet tasarrufu sağlayan, kolay kurulum, basit esnek çalışma;

Yolun kilidini aç Tuya uygulaması/TTlock, Kart, Şifre, Parmak İzi, Anahtar

Renk	Siyah
Malzeme	Demir Alaşımı
Kapasite	300 Kullanıcı
Kapı kalınlığı	30~80mm

Detaylı Görseller





Multiple functions in one

Design for different demand scenarios and better management

Remote control version

All-clear version

Gateway Edition

Doodle version

The optional function above please confirm with customer service to buy, the function is not the same, the price is not the same, please confirm and then buy, thank you!

Functional parameters	Basic Edition	Remote control version	All-clear version	Gateway Edition	Doodle APP Edition
Fingerprint/password/magnetic card/Key	✓	✓	✓	✓	✓
Cell phone Bluetooth unlock	✗	✗	✓	✓	✗
Mobile APP management	✗	✗	✓	✓	✓
Support wechat mini programs	✓	✓	✓	✓	✓
Support computer side management	✗	✗	✗	✓	✗
Send temporary passwords remotely	✓	✓	✓	✓	✓
Single pass/loop passcode	✗	✗	✓	✓	✗
Limited time/permanent password	✗	✗	✓	✓	✓
Remote grant unlock	✗	✗	✓	✓	✓
Unlock record storage	✗	✗	✓	✓	✓
Unlock record viewing	✗	✗	✓	✓	✓
Mobile phone remote unlocking	✗	✗	✗	✓	✓
Delete and change the password in the lock remotely	✗	✗	✗	✓	✗
Remote deletion of key card user	✗	✗	✗	✓	✗
The fingerprint user is remotely deleted	✗	✗	✗	✓	✗
Add a gateway device	✗	✗	Optional	✓	✗
Remote unlock	Optional	✓	Optional	Optional	Optional

Şirket Bilgileri

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

OUR FACTORY



Access Control and RFID Reader Production Line:

- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



Door Lock Production Line

Electromagnetic lock & Smart Door Lock Production Line :

- Monthly production quantity is up to 100,000pcs,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



RFID & NFC Cards & Tags Production Line :

- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

ADVANTAGE



WHY CHOOSE US?

- FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- LONG HISTORY** 20 years experience in RFID & Access Control industry
- OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE

