

Ürün Açıklaması

Duvar Tipi Standart Elektromanyetik Kapı Tutacağı

genel bakış

ACM-G140, ultra düşük güç tüketimine sahip standart bir elektromanyetik kapı tutucudur. Duvar ve zemin için 2 montaj yolu vardır. Merkezi bağlantı için sinyal çıkışına sahiptir ve artık manyetizmayı önleyen özel tasarımı ile güvenilir performansa sahiptir. Her türlü Yangın çıkışı ve yanmaz kapı için çok uygundur.

İşlev

1. 100Lbs süper lineer statik itme testini geçin
2. Çift serbest bırakma modları: Kapatma ve Manuel düğme
3. 12VDC /24VDC için kullanılabilir
4. Ultra düşük güç tasarımıyla enerji tasarrufu
5. İstikrarlı performansa sahip artık manyetik tasarım yok
6. Pasif geçiş sinyali çıkışı
7. Duvar ve zemin için yüzeye montaj veya gömme montaj
8. Braketli cam kapı için kullanılabilir

Özellikler

Sürüm	Arıza kilidi açıldı
Tutma Kuvveti	50kg(100Lbs)
Standart Fonksiyonlar	Manuel kapı açma düğmesi
Kilit Durum Sensörleri	HAYIR
Anma Çalışma Gerilimi	DC 12V veya 24V (Ayarlanabilir)
Anlık tüketim	12V/180mA 24V/85mA
Yüzey	Boya ve Çinko kaplama
°C cinsinden ortam sıcaklığı	-10°C - 55°C
İçin uygun	Her Türlü Tekli ve Çiftli Duman Geçirmez Kapılar
Miknatıs Boyutları (U x G x D)	70L*43W*86Y(mm)
Armatür Plaka Ölçüleri(U x G x D)	65L*65W*53Y(mm)
kg cinsinden ağırlık	0.9kg
Bina için CE işareti	EVET
Bina için Rohs işareti	EVET

resim gösterisi

Extended Wall Mount **Door Holder**


standard electromagnetic door holder
with ultra low power consumption




NP-G140 is standard electromagnetic door holder with ultra low power consumption. There are 2 installation ways for wall and floor. It has signal output for central linkage and has reliable performance with special design avoiding residual magnetism. It is very suitable for all kinds of Fire exit and fireproof door.

G140 Dimensions

Armature Plate Dimensions:
65L*65W*53H(mm)



Magnets Dimensions:
70L*43W*86H(mm)





Release mode:

Fail-unlocked
(the door holder is unlocked when the current is off)


Manual Shut-Release Button

With a manual shut-release button.



Automatically Close

Smoke doors automatically close when the fire broke out.



100 lbs Super Linear Static

Pass 100 lbs super linear static thrust test.



Available for 12VDC /24VDC

Rated Operating Voltage DC 12V or 24V (Adjustable)



Energy saving with ultra-low-power design

Current consumption: 12V/180mA 24V/85mA





No Residual Magnetic Design With Stable Performance


Professional magnet material, power failure
no residual magnetism.

Reverse Current Protection

Built-in reverse current protection devices. (MOV)



Fire Fighting Mode




Normal state, normally open mode.



Fire fighting status, personnel evacuation.



End evacuation, transfer of personnel and Cut off the door holder power supply, close the door.



After the door closed, successfully blocked the spread of fire.



Surface or Flush Mounting

Surface mounting or flush mounting for wall and floor.




Available for Glass Door

Available for glass door with bracket




Installation Diagram

Suitable for All Kind of
Single & Double Smoke proof Doors.



Fire Fighting Mode




Normal state, normally open mode.



Fire fighting status, personnel evacuation.



End evacuation, transfer of personnel and Cut off the door holder power supply, close the door.



After the door closed, successfully blocked the spread of fire.

Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School



PC Based Access Control Unit



Access Control



Proximity Access Card Reader



Proximity Card



Magnetic Lock



Electric Bolt



Access Control Power Supply



Exit Button

ilgili ürünler



RE:Access Control Power Supply

 NEW ACM-Y802-3A Power Supply and door release exit button Dual Function AC110V-240VDC, 12V 3A	 M801B-3A /5A Access Control Door Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC	 M806B-3A /5A Access Control Door Backup battery Power Supply Size: 190Lx85Wx80H(mm) AC110V-240VDC		
ACM-DB07 12V wired doorbell 	ACM-VB003 WiFi Wireless Doorbell 	ACM-GSM405 GSM Gate Opener /GSM Remote Switch 	ACM-Y803A Voltage: DC 12V /3A 	ACM-5A 12V 5A door control system 12V 5amp access power supply with battery backup (Special For access control board use) Size: 279x234x67MM Input Voltage:110-240V Voltage: DC 12V /3A 

RE:Door Loop / Door Closer

ACM401 Door Loop 	ACM601F 200mm Metal ACM601S 200mm stainless steel 	ACM-101 130mm Longer ACM-102 180mm Longer 	ACM-301 400mm Longer 	ACM-201 400mm Longer 	Door Closer ACM-M59 25-45KG ACM-M60 45-65KG ACM-M61 65-85KG 
---	---	---	---	--	---

RE:Sensor and Siren For Access Control System

ACM-FP410A Drawer Cabinet Lock 	ACM-FP710A Fingerprint Bag Lock 	ACM-S408 IR beam outdoor /indoor Motion Sensor 	Item: AS603 Piezo Siren Operating voltage: 12VDC 	Item: AS31 Operating distance: 16mm ±5mm Switch output: NC 	Door Holder Item: ACM-MD601 Standard Wall Mount Door Holder Holding force: 60kg(120Lbs) 	Item: ACM-MD602 Glass door Mount Door Holder with door signal Holding force: 60kg(120Lbs) 
--	---	--	--	---	--	---

RE:Remote Control For Access Control System

Item: ACM-K19A/B Metal WIRELESS Remote Control 	Item: ACM-R402/404 WIRELESS Remote Control 	Item: ACM-R403/405 Wireless 433MHz RF Remote control 	Item: ACM-R407 2 Channel AC/DC Remote receiver 	Item: ACM-R408/409 Wireless 433MHz RF Remote control 
--	--	--	---	--

Whatsapp: +86-14554918707 , E-mail: lilyjiang_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Proudcts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

Paketleme ve Teslimat

Birim Tipi: parça

Paket Ağırlığı: 0.3kg

Paket Boyutu: 10cm x 10cm x 8cm



Sizin Olabilir İhtiyacınız

Birçok çeşit kapı anahtarı tedarik edebiliriz. Dokunma, Dokunmama, cam kırılması, kontak anahtarı. Daha fazla ayrıntı bulmak için yukarıdaki fotoğrafa tıklayın. Veya fiyat listesini sormak için bize soruşturma göndermekten çekinmeyin.



Temassız Kapı Gerçek Çıkış Düğmesi

K2B: 86*86mm

Temassız Kapı Çıkış Sensörünü

Gerçekleştirir

K9A: 115*40mm

Kapı Açma Düğmesi , (Paslanmaz

Çelik, NO/NC)K5B: 86*86mm





Kapı Açma Düğmesi , (Çelik
Alüminyum, NO), K4B: 86*86mm
paslanmaz çelik Yüksek kaliteli Kirsite.
K14B: 86*86mm
Paslanmaz çelik Kapı açma BUTONU;
K815B: 86*86mm

Servisimiz

- 1, Herhangi bir soruşturma 24 saat içinde cevaplandırılacaktır.
- 2, Profesyonel üretici ve tedarikçi, Web sitemizi ve fabrikamızı ziyaret etmenizi bekliyoruz
- 3, OEM/ODM Mevcut
- 4, Yüksek kalite, şık tasarım, makul ve rekabetçi fiyat, hızlı teslim süresi
- 5, Satış Sonrası Hizmet:
 - 1), tüm ürünler ambalajlamadan önce evde kesinlikle kalite kontrolünden geçirilecektir.
 - 2), tüm ürünler göndermeden önce iyi paketlenmiş olacak
 - 3), Hasar insan kaynaklı değilse, tüm ürünlerimiz 2-3 yıl garantilidir.
- 6, Daha hızlı teslimat : Numune siparişi için yaklaşık 1~5 gün, toplu sipariş için 7~30 gün
- 7, Ödeme : Sipariş için şu yollarla ödeme yapabilirsiniz: T/T, Western Union, Paypal
- 8, Nakliye: DHL, FEDEX, TNT, UPS, EMS, SEA ve AIR tarafından Forwarder ile güçlü bir işbirliğine sahibiz, ayrıca kendi nakliye ileticinizi de seçebilirsiniz.

SSS

S: 1. Nasıl sipariş verebilirim?

A: Lütfen bize e-posta yoluyla ihtiyacınızı listeleyin. Daha sonra teklifi size en erken zamanda göndereceğiz, sipariş onayından sonra en kısa sürede üretimi ayarlayacağız.

S: 2. Ödeme ve sevkiyat ne durumda?

Y: T/T, Paypal, Western Union.

Müşteriler deniz, hava veya ekspres (DHL, FedEx, TNT UPS vb.)

S: 3. Kalitenizi kontrol etmek için nasıl numune alabilirim?

A: size ücretsiz numune sağlayabiliriz ve navlun bedeli sizin tarafınızdan ödenir.

S:4. Örnekleri ne kadar süre alabilirim?

A: miktarına bağlıdır. Normalde 5000 adet için 3-7 gün ve 100.000 adet için 7-15 gün

S:5. Ürünleriniz özelleştirilebilir mi?

C: Malzeme, boyut, kalınlık ve baskı dahil olmak üzere ürünlerinizin neredeyse tamamı özelleştirilmiştir. OEM siparişleri memnuniyetle karşılanır.

S: 6. Bir ticaret şirketi veya fabrika mısınız?

Çin'de 20 yılı aşkın bir süredir RFID kartları/NFC etiketleri/RFID keybod/RFID bilekliği, rfid okuyucu ve erişim kontrol ürünlerinin en büyük üreticilerinden biriyiz.

Şirket Bilgisi:

20⁺ YEARS EXPERIENCE OEM & ODM

ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized
Services



Quality
Assurance



Fast
Delivery



Best After-
Sales Service

ADVANTAGE

WHY CHOOSE US?


- 1 FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 HIGH QUALITY** Design and manufacture high quality products with 30 R&D; engineers.



OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

APPLICATION

Bus, supermarket, school, government, hospital, factory



CERTIFICATE



