

Ürün Açıklaması

1. Özellikler

1.1 Teknik parametreler:

Kart türü (alternatif)	EM Kartı (seçenekler için IC kartı)
Depolama	4000 kullanıcı
Çalışma gerilimi	DC12V \pm % 10
İşletim akımı	<100mA
Kart okuma mesafesi	1 ~ 15cm
Ortam sıcaklığı	0 °C ~ 60 °C
Bağıl nem	% 20 ~% 80
Boyutlar	115 × 80 × 24 mm
Ağırlık	110 g

1.2 Fabrika Varsayılanı:

Programlama Şifresi	123456
Ortak Erişim Şifresi	Yok
Röle Kilit Açma çıkışı	5 saniye
Açık mod	Kart veya Erişim Şifresi Erişim Şifresi, Özel Erişim Şifresini (PIN) ve Ortak Erişim Şifresini içerir
Güvenlik Modu	KAPALI
Arka Işık (Seçenekler için)	Oto
W26 bağlantı noktası (Seçenekler için)	giriş

1.3 Işık ve Ses şunları gösterir:

Işık: kırmızı ve yeşil

Işık Tanımı	gösterir
Kırmızı ışık her 1 saniyede bir yanıp sönüyor (Yavaş yanıp sönüyor)	Bekleme durumu
Yeşil ışık her 0,5 saniyede bir yanıp söner (Hızlı flaş)	Daha fazla eylem bekleniyor
Kırmızı ışık her zaman AÇIK	Programlama durumu
Greenlight, Açık Süre içinde her zaman AÇIK	Kilit açma durumu

Ses: Buzz

Ses Tanımı	Gösterir
1 kısa vızıltı	Geçerli girdi
3 kısa vızıltı	Geçersiz Giriş
1 uzun vızıltı	Programlama başarısı
Sürekli uzun vızıltı	Fabrika programlama şifrelerini geri yükleme

2. Kurulum Kılavuzu

İşaret	Renk	Fonksiyon
+ 12V	Kırmızı	Güç +
GND	Siyah	Güç-
İT	MAVİ	Düşük seviyeli çıktı
AÇIK	Sarı	Kapı Açma
BEL +	Gri	BELL +

BEL-	Mor	ZİL-
VERİ	Yeşil	WG DATA0
DATA1	Beyaz	WG DATA1
NC	Kahverengi	Röle NC çıkışı
COM	Portakal	Röle Com çıkışı
Hayır	Pembe	Röle NO çıkışı


Avantaj

1. Yüksek mukavemetli metal kabuk, fırçalanmış yüzey, güzel görünüm 2. Orijinal ithal akıllı çip 3. Tamamen kapatılmış ve PC tutkalı, sızdırmazlık sınıfı IP68 ile kaplanmış

ürün gösterimi

Touch Metal access control

4 Colors & Waterproof option



High Metal Shell

Drawing process
Beautiful appearance

Doorbell Button

Include

Power Sign

Red means Power Up
Green means Unlock Success

Touch Panel



Touch type with backlight
Good performance

Card Unlock Icon

3 ways opening




AC Relay

Main chip


AC Cable

Buzzer





Dokunmatik Tuş Takımı RFID ve Tuş Takımı Erişim Kontrolü, 125 Khz EM1000 Kullanıcı Kapasitesi Uygulaması



You May Need

Complete Door Access Control Solution Provider



RFID Card



RFID Key fob



RFID Wristband



RFID Reader



**Long Distance
UHF Reader**



**Access Control
Reader**



Biometric Controller



RFID Controller



Door EM Lock

WHY CHOOSE US?

- **Long History & High Reputation**

Founded in 1999. Great Creativity Group dedicates in R&D, producing and sale of RFID products and Plastic Card. We own 12,000 square meters factory, 3000 square meters office and 8 branches so far.

- **Advanced Equipments & Ultimate Production Ability**

2 Modern high standard production lines with monthly output 30,000,000 pcs cards. Brand-new CTP machines and Germany Heidelberg offset printing machines. 10 sets of compounding machines.

- **Self R&D Customization**

Our company offering management application project, equipment application, scheme and personalized RFID end product.

- **Strict Quality Control**

Strict QC System from raw material to finished products. We have passed certified ISO9001, SGS, ROHS, EN-71, BV etc. We promise all products will be examined strictly and we ensure that the products we deliver to you with top quality.

ABOUT GOLDBRIDGE

As a one of leading manufacturer and exporter of RFID products in China, We have been in this field for 20 years already. We have rich production and exportation experience on RFID products. Our strength products are: rfid card, rfid Keyfob, rfid wristband, rfid tag and various rfid reader. We are also the access control solution provider.

[MORE >>](#)





ABOUT OUR FACTORY

Established in 1999, Shenzhen Goldbridge has witnessed the technological innovation from rfid card to rfid tag, the overall change of market products in the past 20 years, and registered "Shenzhen Goldbridge Industrial Co., Ltd." in 1999.

At present, Goldbridge has developed into a National High-Tech Enterprise, which is specialized in the integration of production, market and research. Starting from the PVC cards and RFID cards factory with only 66 workers, Goldbridge has accomplished the successful transition from traditional manufacturing industry to IOT technology enterprise (RFID technology development).



With the accumulation of dozens of software copyrights and utility new inventions and patents, Goldbridge has been rewarded as "National High-Tech Enterprise", "Shenzhen High-Tech Enterprise", and has become an integrated enterprise which focuses on research, production and market. Meanwhile, by adopting the "Military + School + Family" corporate culture concept, accompanied by the continuous innovation of business model and marketing model, plus the B2B, B2C platform and excellent sales team, Goldbridge sells its products all over the world.



Honers & Certificates



FAQ

Q Do you accept Trade Insurance ?

Yes of course, please click here to issue a trade insurance order.

A

Q Do you offer a customized sourcing service ?

A Yes please contact our sales team directly.

Q What format files shall we send for printing?

Adobe illustrator would be best, cdr, Photoshop and PDF files are also OK.

A

Q How long Is your warranty time?

A Function warranty time is 3years, printing warranty time is 1year.

You may negotiate with our sales team when ordering.

Q Do you own your own factory?

A Yes we have 3000 square meter workshop for RFID/NFC products.

Q Could I get the free sample for testing?

A Yes, in order to show our sincerity, we could support the free sample to you for testing..

Q Do you also supply OEM service?

A Yes, Since we keep professional manufactory with own moulding line and product line, so you could put your LOGO on our products to make them unique

ACM 海洋金桥
GOLDBRIDGE



SHENZHEN GOLDBRIDGE INDUSTRIAL CO.,LTD

Skype: Lily-jiang1206

Website: www.goldbridgesz.com

E-mail: sales@goldbridgesz.com

Whatsapp: [+86-13554918707](https://wa.me/8613554918707)

Add: Block A, Zhantao Technology Building,
Minzhi Avenue , Longhua District,
Shenzhen, China