

Eriřim kontrol sistemi ücretsiz gönderimi için Wiegand 26/34 dönüřtürücüü USB bağlantı HAYIRktasına dönüřtürün

| Parametre                                                                | Tek Kapılı Kontrol Paneli                                                                                          | Çoklu Kapı (2) Kontrol Paneli                                                                                      | Çoklu Kapı (4) Kontrol Paneli                                                |
|--------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| ACM Modeli                                                               | ACM-WG01                                                                                                           | ACM-WG02                                                                                                           | ACM-WG04                                                                     |
| İletişim                                                                 | TCP/IP ve RS485                                                                                                    | TCP/IP ve RS485                                                                                                    | TCP/IP ve RS485                                                              |
| Tanım                                                                    | 1 kapıyı kontrol edin, kartı okutarak kapıya girip çıkın veya kartı okutarak içeri girin ve düğmeyle kapıdan çıkın | 2 kapıyı kontrol edin, kartı okutarak kapıya girip çıkın veya kartı okutarak içeri girin ve düğmeyle kapıdan çıkın | 4 kapıyı kontrol edin, kartı okutarak kapıya girin ve düğmeyle kapıdan çıkın |
| PCB kartının boyutu                                                      | 160mm *106mm                                                                                                       | 160mm *106mm                                                                                                       | 218 mm * 106 mm                                                              |
| Kasanın Boyutu                                                           | 273mm*228mm*65mm                                                                                                   |                                                                                                                    |                                                                              |
| Güç kaynağı                                                              | 12VDC 4-7A                                                                                                         |                                                                                                                    |                                                                              |
| Devre Kartının Güç Tüketimi                                              | 100mA'den az                                                                                                       |                                                                                                                    |                                                                              |
| Okuyucunun Giriş Formatı                                                 | , HID,EM,Mifare bir vb.)                                                                                           |                                                                                                                    |                                                                              |
| Okuyucu Sayısı                                                           | 2 adet                                                                                                             | 4 adet                                                                                                             | 4 adet                                                                       |
| Kapı Kontrollü                                                           | 1 kapı                                                                                                             | 2 kapı                                                                                                             | 4 kapı                                                                       |
| Kapı açılma süresini uzatma ayarı                                        | 1-600 saniye (ayarlanabilir)                                                                                       |                                                                                                                    |                                                                              |
| Denetleyicinin maksimum q " tipi                                         | Limit yok                                                                                                          |                                                                                                                    |                                                                              |
| Çalışma Sıcaklığı                                                        | -40°C ~70 °C                                                                                                       |                                                                                                                    |                                                                              |
| Çalışma Nemi                                                             | % Sağ , Yoğuşma Yok                                                                                                |                                                                                                                    |                                                                              |
| Kullanıcıların sayısı                                                    | 20.000 Kullanıcı                                                                                                   |                                                                                                                    |                                                                              |
| Olay Tamponlarının Q " türü(çevrimdışı)                                  | 100.000 olay arabelleği                                                                                            |                                                                                                                    |                                                                              |
| Güç kesintisi koruma önlemi                                              | Yüksek Hızlı Bellek, Kayıtlar asla kaybolmaz                                                                       |                                                                                                                    |                                                                              |
| Okuyucudan Denetleyiciye Maksimum Mesafe                                 | 100m (öneri mesafesi 80m)                                                                                          |                                                                                                                    |                                                                              |
| Kontrol Cihazları Arasındaki Maksimum Mesafe                             | TCP/IP: Net kapsama alanına bağlıdır                                                                               |                                                                                                                    |                                                                              |
| Paket içeriği:                                                           | PCB kartı, yazılım, kullanım kılavuzu, sertifika. karton                                                           |                                                                                                                    |                                                                              |
| Kapının uzun süre açık kalması, yasa dışı izinsiz giriş, korkutma alarmı | Evet                                                                                                               |                                                                                                                    |                                                                              |

|                                                       |                                                                                                                                                                                                                                                                    |      |      |
|-------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|------|
| Yangın ve alarm bağlantısı                            | Geniřletme kartıyla bağlantı yoksa, yalnızca yazılım arayüzü alarmı vardır ve bilgisayar hoparlörünü çalıştırır. Geniřletme kartıyla bağlanırsa donanımla alarm verebilir, güçlendirilmiş geniřletme kartıyla bağlanırsa Güvenlik alarmı verebilir, Model ACB-EA05 |      |      |
| Uzun süre tamamlayıcı açık ve kapalı kapı             | Evet                                                                                                                                                                                                                                                               |      |      |
| Uzaktan kapıyı aç                                     | Evet                                                                                                                                                                                                                                                               |      |      |
| Kilit                                                 | No                                                                                                                                                                                                                                                                 | Evet | Evet |
| Geri pas önleme ve kuyruk                             | Evet                                                                                                                                                                                                                                                               | Evet | Evet |
| Çoklu kart açık kapı                                  | Evet                                                                                                                                                                                                                                                               |      |      |
| Belirtilen zamanda uzun süre açık                     | Evet                                                                                                                                                                                                                                                               |      |      |
| Elektronik harita                                     | Evet                                                                                                                                                                                                                                                               |      |      |
| Acil kilitleme                                        | Evet                                                                                                                                                                                                                                                               |      |      |
| İlk kartın kilidini açma                              | Evet                                                                                                                                                                                                                                                               |      |      |
| Dahili ve harici doğrulamaya dayalı olarak kilit açma | Evet                                                                                                                                                                                                                                                               |      |      |
| Tuř takımı (kartřifre, akřam yemeęi řifresi)          | Evet                                                                                                                                                                                                                                                               |      |      |

## OUR FACTORY



- **Access Control and RFID Reader Production Line:**
- Monthly production quantity is up to 50,000pcs, We are Provides OEM&ODM services including product research and development, LOGO printing, customized.etc



- **Electromagnetic lock & Smart Door Lock Production Line :**
- Monthly production quantity is up to 100,000pcs ,
- Our factory is built with modern manufacture environment, facilities, equipment and professional operation technicians.
- Goldbridge Provides OEM&ODM services including product research and development, LOGO printing and product box customized.



- **RFID & NFC Cards & Tags Production Line :**
- RFID Tag, Wristband, Keyfob: 11,000,000pcs (monthly output)
- Four Production Lines For Smart Card, PVC Card, Prelam Sheet: 20,000,000pcs (monthly output)
- Goldbridge Provides OEM&ODM services for LOGO printing, development, customized.

## 20<sup>+</sup> YEARS EXPERIENCE OEM & ODM

### ACCESS CONTROL SYSTEMS ONE STOP SOLUTION PROVIDER

Goldbridge is Top 10 China Manufacture On Alibaba, Specializes In Provide Kinds Of RFID/NFC Cards, FID Tags, RFID Card Reader, UHF Reader, Access Control System, Electromagnetic Locks, etc Since 1999



Customized Services



Quality Assurance



Fast Delivery



Best After-Sales Service

## APPLICATION

Bus, supermarket, school, government, hospital, factory



## ADVANTAGE

### WHY CHOOSE US?

- 1 **FAST DELIVERY** Faster delivery by air by express. (DHL, UPS or Fedex)
- 2 **LONG HISTORY** 20 years experience in RFID & Access Control industry
- 3 **OEM ACCEPTABLE** 20 years OEM&ODM experience for 1000 + VIP client from US and Europe
- 4 **HIGH QUALITY** Design and manufacture high quality products with 30 R&D engineers.



## CERTIFICATE



Supplier's Company




### RE:Access Control Power Supply

|                                                                                                                                                                                                                                                                                                             |                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                        |                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div><b>ACM-Y802-3A</b><br/>Power Supply and<br/>door release exit<br/>button Dual Function<br/>AC110V-240VDC,<br/>12V 3A</div></div></div> | <div><div></div><div><div><b>M801B-3A /5A</b><br/>Access Control Door Power<br/>Supply<br/>Size: 190Lx85Wx80H(mm)<br/>AC110V-240VDC</div></div></div>              | <div><div></div><div><div><b>M806B-3A /5A</b><br/>Access Control Door Backup<br/>battery Power Supply<br/>Size: 190Lx85Wx80H(mm)<br/>AC110V-240VDC</div></div></div> |                                                                                                                                                                                                                                                     |                                                                                                                                                                                                                                                                                                                                                                                                                       |
| <div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div><b>ACM-Y803A</b><br/>Voltage: DC 12V /3A</div></div></div>                                                                             | <div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div><b>ACM-Y806-3A</b><br/>Voltage: DC 12V /3A<br/>AC110V-240VDC</div></div></div> | <div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div><b>ACM-Y806-5A</b><br/>Voltage: DC 12V /5A<br/>AC110V-240VDC</div></div></div>    | <div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div><b>ACM-Y801-3A</b><br/>Voltage: DC 12V /3A<br/>AC110V-240VDC</div></div></div> | <div><div><div><div><div></div><div>NEW</div></div><div></div></div></div><div><div><b>ACM-5A</b><br/>12V 5A door control system 12V 5amp<br/>access power supply with battery backup<br/><b>(Special For access control board use)</b><br/>Size: 279x234x67MM<br/>Input Voltage:110-240V<br/>Voltage: DC 12V /3A</div></div></div> |

### RE:Door Loop / Door Closer

|                                                                                                                   |                                                                                                                                                               |                                                                                                                                                       |                                                                                                                       |                                                                                                                        |                                                                                                                                                                                                    |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p><b>ACM401 Door Loop</b></p>  | <p><b>ACM601F 200mm Metal</b><br/><b>ACM601S 200mm stainless steel</b></p>  | <p><b>ACM-101 130mm Longer</b><br/><b>ACM-102 180mm Longer</b></p>  | <p><b>ACM-301 400mm Longer</b></p>  | <p><b>ACM-201 400mm Longer</b></p>  | <p><b>Door Closer</b></p> <p><b>ACM-M59 25-45KG</b><br/><b>ACM-M60 45-65KG</b><br/><b>ACM-M61 65-85KG</b></p>  |
|-------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### RE:Sensor and Siren For Access Control System

|                                                                                                                                                                   |                                                                                                                                                                      |                                                                                                                                                                      |                                                                                                                                                                       |                                                                                                                                                                                                   |                                                                                                                                                                                         |                                                                                                                                                                                                       |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Item: AS603</b><br/>Piezo Strobe Siren<br/>Operating voltage: 12VDC</p> |  <p><b>Item: AS31</b><br/>Operating distance: 16mm<br/>±5mm Switch output: NC</p> |  <p><b>Item: AS32</b><br/>Operating distance: 18mm<br/>±5mm Switch output: NC</p> |  <p><b>Item: AS36</b><br/>Operating distance: 40mm<br/>±10mm Switch output: NC</p> |  <p><b>Item: AS57AC</b><br/>Operating distance: 18mm<br/>±5mm Switch output: NC<br/>Applies to steel door</p> |  <p><b>Item: ACM-MD601</b><br/>Standard Wall Mount Door Holder<br/>Holding force: 60kg(120Lbs)</p> |  <p><b>Item: ACM-MD602</b><br/>Glass door Mount Door Holder with door signal<br/>Holding force: 60kg(120Lbs)</p> |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

### RE:Remote Control For Access Control System

|                                                                                                                                                   |                                                                                                                                             |                                                                                                                                                                                         |                                                                                                                                                                              |                                                                                                                                                                               |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|  <p><b>Item: ACM-K19</b><br/>Metal WIRELESS Remote Control</p> |  <p><b>Item: ACM-K18</b><br/>WIRELESS Remote Control</p> |  <p><b>Item: ACM-K20</b><br/>WIRELESS Remote Control For Automatical Door,NO/NC/COM<br/>115*40mm</p> |  <p><b>Item: ACM-K19A</b><br/>Metal Access Control WIRELESS Remote Control 2 channel</p> |  <p><b>Item: ACM-K19B</b><br/>Metal Access Control WIRELESS Remote Control 4 channel</p> |
|---------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

Whatsapp: +86-14554918707 , E-mail: lilyjiang\_06@163.com, sales@goldbridgesz.com ; www.goldbridgesz.com

For More Prouducts Price List and informations , Please contact our sales at sales@goldbridgesz.com, thank you !

## PRODUCT CATEGORY

### RFID / NFC SMART CARD

Be customized according to you need

Fit for systems of transport, E-payment, Access Control, Event, Loyalty, ect.

[View More](#)



### ACCESS CONTROL SYSTEM

Security for All: Network Access Control Board ,Standalone Access Controller, Biometric Access Control, T&A time attendance, Facial Access Control

[View More](#)



### RFID & LONG RANGE UHF READER

20+ Years of professional Experience in production of rfid uhf hardware

- UHF desktop reader writer,
- UHF integrated reader,
- UHF R2000 fixed reader,

[View More](#)



### ELECTRONMAGNETIC LOCK

Professional Electric Locks Manufacturer In China

Electromagnetic lock with OEM & ODM since 1999 60KG /110KG /180KG /280KG /350KG /500KG

[View More](#)



## FAQ

#### Q1 How can I place an order?

A1 Click start to order or list your requirement to us by email. Then we will send the offer to you ASAP, after the order confirmed, we will arrange production ASAP.

#### Q2 What about the payment and shipment?

A3 T/T , Paypal, Western Union etc.  
You can choose your agent or via our agent by sea, air or express (DHL,FedEx, TNT UPS etc.)

#### Q4 How can I get a sample to check your quality?

A4 We could provide the sample to you, pls check the sample cost and freight cost with us.

#### Q5 How long can I expect to get the goods?

A5 It depends on the quantity and shipping way. You can check with us before ordered.

#### Q6 Can your products be customized?

A6 Almost all of our products are customized , including the material, size, thickness and printing. OEM orders are highly welcome.

[Contact Us](#)



[BACK TO HOMEPAGE >](#)



## Scope of Application



Company



Hospital



Hotels



Logistics



Port



Financial



Government



Factory



Aviation



School

## Paketleme ve Teslimat

Her siparişte, müşterilerimizin en iyi ürünü almasını sağlamak için öncelikle kaliteyi kontrol edeceğiz. Personelimiz nakliye hasarını önlemek için dikkatlice paketleyecektir. Her ürünü mümkün olan en kısa sürede göndereceğiz.



**EXW**

**FCA FOB**

**CIF CFR**




## Nakliye Yolu (Sadece yeni müşterilerin referansı için)

2000 yıldan bu yana Çin'in önde gelen RFID ürünleri ihracatçılarından biriyiz. Zengin uluslararası ticaret deneyimimiz ile uluslararası nakliyeyi çok iyi biliyoruz. Ülkeniz için hangi ekspres veya hava/deniz hattının ucuz ve güvenli olduğunu biliyoruz. CO, FTA, Form F, Form E... vb. gibi özel gereksinimlerinizi temizlemeniz için çeşitli sertifikalar sağlayabiliriz. Gönderiniz için profesyonel önerimizi sunacağız. EXW, FOB, FCT, CIF, CFR...ticaret koşulları bizim için uygundur. Ürünler ve nakliye için güvenilir ortağınız olabiliriz.


Biz 20 yıllık deneyime sahip profesyonel kapsamlı güvenlik erişim kontrol ürünleri tedarikçisiyiz, erişim kontrol sistemi çözümünün en iyi çözümünü sunduğumuzdan emin olunuz! Bu nedenle, soruşturma ayrıntılarınızı aşağıya gönderin, hemen bizimle iletişime geçin! Gelecekte dünya çapında yeni müşterilerle başarılı iş ilişkileri kurmayı dört gözle bekliyoruz.

## ilgili ürünler




### ACM-WEG01

1 kapıyı kontrol edebilir.



## ACM-WEG02

2 kapıyı kontrol edebilir.



## ACM-WEG04

4 kapıyı kontrol edebilir.

### You May Like





### **ACM-K2A/B**

Dokunmatik Olmayan Kapı Realese  
Çıkış Düğmesi LED'li

### **ACM-Y180**

Sıva üstü manyetik kilit (180kg)

### **ACM-Y806-5A**

Erişim kontrolü için güç kaynağı 5A





### **ACM225**

Dokunmatik Tuş Takımı RFID Erişim  
Kontrolü 12khz

### **ACM-210**

Metal Su Geçirmez RFID Wiegand  
Erişim Kontrolü

### **ACM26X**

125Khz EM Kart RFID Okuyucu  
Boyutu: 115mm×75,5mm×16,8mm

## Servisimiz

- 1, Herhangi bir sorunuz 24 saat içinde cevaplandırılacaktır
- 2, Profesyonel üretici ve tedarikçi, Web sitemizi ve fabrikamızı ziyaret etmenizi bekliyoruz
- 3, OEM / ODM Mevcuttur
- 4, Yüksek kalite, moda tasarım, makul ve rekabetçi fiyat, hızlı teslim süresi
- 5, Satış Sonrası Hizmet:
  - 1), Tüm ürünler ambalajlamadan önce evde kesinlikle kalite kontrolünden geçirilecektir.
  - 2), Tüm ürünler göndermeden önce iyi bir şekilde paketlenilecektir.
  - 3), Hasarın insan kaynaklı olmaması durumunda tüm ürünlerimiz 2-3 yıl garantilidir.
- 6, Daha hızlı teslimat : Örnek sipariş için yaklaşık 1 ~ 5 gün, toplu sipariş için 7 ~ 30 gün
- 7, Ödeme: Sipariş için ödeme yapabilirsiniz: T/T, Western Union, Paypal,
- 8, Nakliye: DHL, FEDEX, TNT, UPS, EMS, DENİZ ve HAVA Yoluyla Nakliyeciler ile güçlü bir işbirliğimiz var. Ayrıca kendi nakliye firmanızı da seçebilirsiniz.

## SSS

### **S: 1. Nasıl sipariş verebilirim?**

C: Lütfen ihtiyacınızı bize posta yoluyla bildirin. Daha sonra teklifi size en kısa zamanda göndereceğiz, sipariş onayından sonra en kısa sürede üretimi ayarlayacağız.

**S: 2. Ödeme ve sevkiyat ne olacak?**

A: Ticaret Güvencesi ve T/T, Paypal, Western Union.

Müşteriler deniz, hava veya ekspres (DHL, FedEx, TNT UPS vb.)

**S: 3. Kalitenizi kontrol etmek için nasıl örnek alabilirim?**

A: size ücretsiz numune sağlayabiliriz ve sizin tarafınızdan ödenen navlun bedelini sağlayabiliriz.

**Soru:4. Numuneleri ne kadar sürede almayı bekleyebilirim?**

A: miktarına bağlıdır. Normalde 5000 adet için 3-7 gün ve 100.000 adet için 7-15 gün

**Soru:5. Ürünleriniz özelleştirilebilir mi?**

C: Malzeme, boyut, kalınlık ve baskı dahil olmak üzere hemen hemen tüm ürünleriniz özelleştirilmiştir. OEM siparişleri son derece memnuniyetle karşılanmaktadır.

**S: 6. Bir ticaret şirketi veya fabrika mısınız?**

Biz 20 yılı aşkın bir süredir Çin'deki RFID kartları/NFC etiketleri/RFID klavye/RFID bilekliği, rfid okuyucu ve erişim kontrolü ürünlerinin en büyük üreticilerinden biriyiz.