

## Product Description



### **Electric Door Lock Zinc Alloy Door Exit Push Release Button Switch for Access Control System**

1. Aluminum Panel with Elegant Style
2. Tested to 500000 Cycles
3. Three Contact Outputs, Suitable for all kinds of Locks
4. The Best Choice for Access Control

access control exit button Technique Specification:

P  
a  
P  
a  
m  
e  
t  
e  
t  
D  
a  
s  
a  
m  
e  
p  
e  
r  
o  
n

8D6LmxxgnsWl  
(omms)  
D G p a V C o h e a e B K a B A n g O u N P u N C b G O M c t

Mechanics of Life: A Handbook of Problems - 2018

- 958 (fire button) Hatched yellow) Detection range 0.1 ~ 10 cm

#### **access control exit button Advantage:**

- Detection range: 0.1 ~ 10 cm
- Application: Gate/Door/Exit/Automation control
- High capacity of relay dry contact (3A/AC120V,DC30V)
- Normally open/Normally close/Common relay output

Detailed Images







[Click here to order and have your FREE SAMPLE in 3 days!!!](#)

We are professional comprehensive security access control products supplier with 20 years experience, we make sure to offer the best solution of access control system solution! So, send your inquiry details in the below, click "Send" now!

We are looking forward to forming successful business relationships with new clients around the world in the future.

## Application



Control Center



TCP/IP Door Controller



Electric Bolt Lock



Magnetic Locks



Waterproof RFID Reader  
Door Access Control



Silver Push Button Switch



Access Power Supply

## Packing & Delivery

Unit Type: piece

Package Weight: 0.3kg

Package Size: 10cm x 10cm x 8cm

## Product Description





## **Stainless Steel metal Exit Push Button Door Release Switch Access Control System**

1. Aluminum Panel with Elegant Style
2. Tested to 500000 Cycles
3. Three Contact Outputs, Suitable for all kinds of Locks
4. The Best Choice for Access Control

access control exit button Technique Specification:

P  
a  
n  
e  
l  
m  
e  
t  
a  
l  
D  
e  
m  
o  
n  
s  
t  
r  
a  
t  
i  
o  
n

8  
6  
In  
E  
H  
6  
W  
6  
m  
m  
)  
D  
G  
p  
a  
V  
C  
0  
n  
2  
a  
V  
t  
R  
A  
t  
i  
n  
g  
N  
O  
t  
N  
G  
t  
C  
O  
M  
t  
a  
c  
t

M  
e  
e  
h  
a  
a  
il  
c  
a  
l  
L  
i  
f  
e  
H  
u  
l  
t  
a  
w  
D  
e  
b  
o  
r  
r  
D  
o  
o  
r  
O  
P  
C  
r  
a  
b  
b  
C  
G  
t  
4  
m  
p  
3  
1  
F  
)

S  
Q  
5  
%  
á  
b  
è  
è  
H  
t  
in  
v  
d  
h  
t  
m  
i  
d  
i  
t  
y  
)  
D  
è  
t  
è  
c  
m  
i  
o  
n  
r  
a  
n  
g  
e  
W  
è  
5  
g  
g  
t

#### **access control exit button Advantage:**

- Detection range: 0.1 ~ 10 cm
- Application: Gate/Door/Exit/Automation control
- High capacity of relay dry contact (3A/AC120V,DC30V)
- Normally open/Normally close/Common relay output

Detailed Images





NON  
VIEW  
hhhh  
ghw



Application



Control Center



TCP/IP Door Controller



Electric Bolt Lock



Magnetic Locks



Waterproof RFID Reader  
Door Access Control



Silver Push Button Switch



Access Power Supply

## Packing & Delivery

Unit Type: piece

Package Weight: 0.3kg

Package Size: 10cm x 10cm x 8cm







## Shipping Way

We are one of the leading exporter of RFID products in China since 2000 years . With rich international trade experience we know the international shipping very well , We know which express or air/sea line is cheap and safe to your country . We can supply various certificate for you to clean your custom to such as CO , FTA , Form F , Form E ...Ect . We wil provide our professional suggestion for your shipping . EXW , FOB , FCT , CIF , CFR ...trade term are ok for us . We can be your reliable partner for products and shipping .

## Your may need

We can supply many types of door switches. Touch, No touch, glass break, key switch. Click on photo to find more details. Or feel free to send us a request to ask for the price list.



Exit button on the Real Touch port  
K2B: 86 \* 86mm

Real Touch door exit sensor without  
contact  
K9A: 115 \* 40mm

Door release button, (stainless steel,  
NO / NC) K5B: 86 \* 86 mm





Door release button, (aluminum steel, NO), K4B: 86 \* 86 mm

High quality stainless steel Kirsite.  
K14B: 86 \* 86 mm

PUSH door release button in stainless steel; K815B: 86 \* 86 mm

## Our service

- 1st Any request will be answered within 24 hours
- 2, professional manufacturer and supplier, welcome to visit our website and our factory
- 3, OEM / ODM available
- 4, high quality, fashion design, reasonable & competitive price, fast lead time
- 5, after-sales service:
  - 1), all the products will have been strictly checked at home before being packed
  - 2), all products will be well packed before shipment
  - 3), all our products have 2-3 years warranty if the damage is not caused by human
- 6, faster delivery : About 1 ~ 5 days for sample order, 7 ~ 30 days for bulk order
- 7, payment: You can pay for the order via: T / T, Western Union, Paypal
- 8, shipping: We have a strong collaboration with DHL, FEDEX, TNT, UPS, EMS, SEA Forwarders and By AIR, you can also choose your shipping forwarder.

## FAQ

**Q: 1. How can I place an order?**

A: Please list your needs to us by e-mail. Then we will send the offer to you as soon as possible, after order confirmation, we will organize the production as soon as possible.

**Q: 2. What about payment and shipment?**

A: T / T, Paypal, Western Union.

Customers can choose by sea, air or express (DHL, FedEx, TNT UPS etc.)

**Q: 3. How can I get a sample to check the quality?**

A: We could supply the free sample to you and the freight cost paid by you.

**Q: 4. How long can I expect to get the samples?**

A: it depends on the quantity. Normally 3-7 days for 5000 pieces and 7-15 days for 100,000 pieces

**Q: 5. Can your products be customized?**

A: Almost all your products are customized, including the material, size, thickness and printing.

OEM orders are highly welcome.

**Q: 6. Are you a trading company or factory?**

We are one of the largest manufacturers of RFID cards / NFC tags / RFID keybods / RFID bracelets, RFID readers and access control products in China for over 20 years.